





mini Os




# mini Os




OS Mini Implants line proved extremely versatile and reliable.

Born to stabilize mobile prostheses, thanks to a cementable square engage, can be used in support for biphasic implants with their own prosthetic components.


Ø	Fixture	L. 9	L. 11	L. 13	L. 15
		mm	mm	mm	mm
2,0		MN2.0X09	MN2.0X11	MN2.0X13	MN2.0X15
2,5		MN2.5X09	MN2.5X11	MN2.5X13	MN2.5X15
3,0		MN3.0X09	MN3.0X11	MN3.0X13	MN3.0X15



Low open caps fixed in the prosthesis



Implants placement
















Straight abutment application

15° Angled abutment application

Low open cap application

# mini Os Prosthetic components

	Transfer cod. MNTRA		Analog cod. MNANA		Straight abutment cod. MNMC	
	Angled abutment 15° cod. MNMAC		Castable cylinder cod. MNCC		Low open cap cod. MNCAP	
					Standard closed cap cod. MNCAP1	
	Teflon cap cod. 040CRM		Basket cap cod. 041CAM		Dynamometric torque ratchet adjustable 0 to 35 Ncm	
					Fixed ratchet	
	Machine implant driver cod. MINSTR001		Ratchet implant driver cod. MINSTR002		Surgical drill	
					ø1.6	FP160
					ø1.8	FP180
					ø2.0	FP200
					ø2.5	FP250



**meté**  
Biomedical

Via Sciesa, 40/C  
21013 Gallarate (VA)  
Tel./Fax: +39 0331.796417  
[www.dentalmete.it](http://www.dentalmete.it)